

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

DATE : 7/16/06 7/19/06

Paper No.:       

TO SPE OF : ART UNIT 1654

SUBJECT : Request for Certificate of Correction for Appl. No.: 10/691425 Patent No.: 723091 B2

Please respond to this request for a certificate of correction within 7 days.

Please review the requested changes/corrections as shown in the **COCIN** document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code **COCX**.

***Virginia Tolbert***

Certificates of Correction Branch

703-308-9390 ext. 113

Thank You For Your Assistance

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

*Charles Speer*  
SPEER

1654  
Art Unit

2

# HOWREY<sub>LLP</sub>



10/691425

**Certificate  
MAY 09 2006  
of Correction**

*CJE*  
1111 Louisiana, 25th Floor  
Houston, TX 77002-5242  
T 713.787.1400  
F 713.787.1440  
www.howrey.com

Dennis R. Chesire  
T - 713.654.7678  
F - 713.787.1440  
email: chesired@howrey.com

May 2, 2006

FILE: 11916.0046.DVUS02

| CERTIFICATE OF MAILING<br>37 C.F.R. 1.8   |  |
|---|--|
| I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date below: |  |
| <u>May 3, 2006</u><br>Date  | <u><i>Dennis R. Chesire</i></u><br>Signature |

Attention: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RE: *Request for Certificate of Correction*  
*Patent No. 7,030,091*  
*Dated: April 18, 2006*  
*Entitled: "Non-Aqueous Injectable Formulation Preparation With pH Adjusted for Extended Release of Somatotropin"*  
*Inventor(s): Daniel N. Heintz; Yunhua N. Jeng*

Sir:

Enclosed are two originals of the form PTO-1050. Errors of a minor nature are thereon corrected. The errors in Column 1, line 7, and the errors in the Drawings legends are due to Patent Office oversights. The remaining two errors in the claims are Applicant's. A Certificate of Correction is requested under 35 U.S.C. § 254. The Commissioner is authorized to charge the fee of \$100.00 to Deposit Account No. 08-3038/11916.0046.DVUS02 for filing this Certificate of Correction. Should any additional fees under 37 C.F.R. §§ 1.16 to 1.21 be required or any overpayment be made for any reason relating to the enclosed materials, the Commissioner is authorized to deduct/credit the Deposit Account No. 08-3038/11916.0046.DVUS02 for same.

**MAY 9 2006**

# HOWREY<sub>LLP</sub>

Commissioner for Patents

May 2, 2006

Page 2

Should you have any questions, please contact me directly at (713) 654-7678. Please forward any reply to this communication directly to Howrey LLP, c/o IP Docketing Department, 2941 Fairview Park Drive, Suite 200, Falls Church, VA 22042.

Respectfully submitted,



Dennis R. Chesire

Reg. No. 57,452

DRC:bks

Encls.

MAY 9 2006

# UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. : 7,030,091 B2  
 DATED : April 18, 2006  
 INVENTOR(S) : Daniel N. Heintz and Yunhua N. Jeng

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

- ✓ Drawings Sheet 1, Fig. 1, delete the first line of the legend and replace it with--Figure 1: Comparison of bST Release Profiles in Rodents--.
- ✓ Drawings Sheet 2, Fig. 3, delete the first line of the legend and replace it with--Figure 3: Comparison of bST Release Profiles in Cows--.
- ✓ Column 1, Line 7, after "now" delete [S.].
- ✓ Column 19, Line 1, after "of" first occurrence add --claim--.
- ✓ Column 19, Line 29, after "95%" delete the comma [,].

MAILING ADDRESS OF SENDER:  
 Dennis R. Chesire  
 HOWREY LLP  
 1111 Louisiana, 25<sup>th</sup> Floor  
 Houston, Texas 77002-5242

PATENT NO. 7,030,091 B2  
 No. of add'l. copies  
 @ 50¢ per page  
 ➡ 0

MAY 9 2006

PRINTER'S TRIM LINE

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,030,091 B2  
DATED : April 18, 2006  
INVENTOR(S) : Daniel N. Heintz and Yunhua N. Jeng

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings Sheet 1, Fig. 1, delete the first line of the legend and replace it with--Figure 1:  
Comparison of bST Release Profiles in Rodents--.

Drawings Sheet 2, Fig. 3, delete the first line of the legend and replace it with--Figure 3:  
Comparison of bST Release Profiles in Cows--.

Column 1, Line 7, after "now" delete [S.].

Column 19, Line 1, after "of" first occurrence add --claim--.

Column 19, Line 29, after "95%" delete the comma [,].

MAILING ADDRESS OF SENDER:  
Dennis R. Chesire  
HOWREY LLP  
1111 Louisiana, 25<sup>th</sup> Floor  
Houston, Texas 77002-5242

PATENT NO. 7,030,091 B2  
No. of add'l. copies  
@ 50¢ per page

⇒ 0